

5-18428

TAP GEARET

PHOTOGRAPHIC INTERPRETATION REPORT





# SOVIET MILITARY ORDER OF BATTLE

VOLGA, MD

**Declass Review by NIMA/DOD** 

TCS-80780/65

JULY 1965

COPY 4
6 PAGES

handle via TALENT-KEYHOLE control only

GROUP 1 EXCLUDED FROM AUTOMATIC DOWNGRADING AND DECLASSIFICATION

TOP CECDET

TCS-80780/65

#### PREFACE

This report is one in a series on Soviet Ground Force and Logistic installations being prepared for a DIA/CIA Panel. The series is being coordinated, published and disseminated by NPIC. The photographic analysis is being performed by the NPIC Photographic Analysis Group, the CIA Photographic Intelligence Division (NPIC), and the Production Center 1P1a (DIA). The photographic analysis for this particular report was performed by the Production Center 1P1a.

In the interest of uniformity, the titles and letter designators for the facilities observed at these installations are identical with those appearing in the project requirement. When a specific facility is not observed both its title and letter designator are omitted in the report.

Titles and letter designators for the various facilities are as follows: (A) railroad service, (B) road service, (C) landing strips, (D) administrative and troop housing areas, (E) storage areas, (F) ammunition storage areas, (G) POL storage areas, (H) other buildings and facilities, (J) equipment storage/maintenance areas, (K) athletic fields, (L) small arms firing ranges, (M) driver training areas, (N) tank/assaultigun firing ranges, (P) flat trajectory firing ranges, (Q) artillery emplacements (batteries), (R) infantry or combined arms field training areas or courses, (S) special training facilities, (T) unidentified facilities or tracking activity.

TCS-80780/65

## PENZA AMMUNITION LOADING AND STORAGE PLANT FRUNZE #7 (53-14N 044-59E)

PENZA, PENZENSKAYA OBLAST, USSR

25X1A

VOLGA MD
25X1C

COMOR No:

MOS.COW
MD

URAL
MOS.COW
MD

SSPANOR

SSP

FIGURE 1. LOCATION OF PENZA AMMUNITION LOADING AND STORAGE PLANT FRUNZE =7.

- 2 -

Handle Via
TALENT-KEYHOLE
Control System Only

TCS-80780/65




FIGURE 2. PENZA AMMUNITION LOADING AND STORAGE PLANT, FRUNZE #7, PENZA, USSR,

25X1D

Handle Via
TALENT-KEYHOLE
Control System Only

## TOP SECRET RUFF

Handle Via TALENT-KEYHOLE Control System Only

TCS-80780/65

SUMMARY

Penza Ammunition Loading and Storage Plant Frunze #7 is on the northwest edge of Penza, approximately 4.2 kilometers (km) northwest of the Penza Railroad Brilge North over the Sura River (Figure 1).

The installation covers approximately 400 acres and consists of a walled ammunition loading plant and a fenced ammunition storage

area. The storage area contains 9 small revetted storage buildings and a loading facility (Figures 2 and 3).

The area is covered on KEYHOLE missions between

Comparative analysis reveals no significant change in facilities.

DESCRIPTION OF INSTALLATION

Railroad Service

A single-track line with a 100- by 20-foot trackside dock serves the installation. Area A contains a trackside dock which appears perpendicular to the track rather than parallel to it.

Road Service

The entire plant has access to city streets. The storage bunkers are served by a poorly defined, unimproved road.

Aircraft Landing Strip

Penza Airfield South is 14.4 km south of the plant.

Ammunition Storage Area

Area F comtains 9 revetted ammunition storage buildings, one 100 by 40 feet, five 50 by 25 feet, and three 25 by 25 feet.

·

25X1A

Handle Via
TALENT-KEYHOLE
Control System Only

TOP SECRET RUFF

TCS-80780/65




FIGURE 3. PENZA AMMUNITION LOADING AND STORAGE PLANT FRUNZE : 7. Sketch compiled from

25X1D

Handle Via TALENT-KEYHOLE Control System Only

## TOP SECRET RUFF

Handle Via TALENT-KEYHOLE Control System Only

TCS-80780/65

25X1D

REFERENCES

### MAPS OR CHARTS

US Air Target Chart, Series 200, Sheet 0166-19HL, 2d ed, May 63 (SECRET)

US Air Target Mosaic, Series 50, Sheet 0166-19 6MA, 1st ed, Jul 58 (CONFIDENTIAL)

## ${\tt DOCUMENTS}$

Army. PIB-TK-44-63, Penza Ammunition Loading and Storage Plant Franze \$7, Penza, USSR, May 63 (TOP SECRET RUPE)

## REQUIREMENT

DIAAP-1-15-64 (partial answer)

## NPIC PROJECT

11906 64